

TECHNOLOGY IN MOTION




MACO PROTECT

DOOR LOCKS



Locked as soon as it's closed

Z-TA
AUTOMATIC
3-LATCH LOCK



**MACO
PROTECT**



The Z-TA 3 Latch lock is the next logical development within the MACO PROTECT door lock program. The hook locking MODULES as well as the central DEAD BOLT, are deployed automatically after the door has closed. If its ease and simplicity you are looking for, this is the best locking solution you will find.



Completely safe and comfortable

MACO
PROTECT



Automatic interlocking, including locking deadbolt



Safe and secure - no need to lock up

Immediately afterwards, the hook locking elements **including the deadbolt** are fully deployed and secured against forced entry.



Less is more

- Automatic interlocking **including the deadbolt** with Z-TA Automatic
- Even gasket-compression, and security over the entire door height
- This type of lock can be secured additionally by turning the key to block the lock mechanism.
- Available for a variety of sash rebate heights
- Suitable for both left and right handed applications

**MACO
PROTECT**



Gasket-compression over the entire door height



Safe and secure - without compromise

Conventional locks and door are held by only one latch. The contact pressure is therefore not ideal at the corners of such doors. The MACO Z-TA Automatic and Z-TA Comfort have two additional multifunctional latches (MF) to complement the standard, centered soft latch. The soft latch and multifunctional latches reliably hold the door leaf at the three points immediately after closing. This evenly distributes the gasket-compression over the entire door height as soon as the multifunctional latches engage, the door is automatically locked with by two hooks, as well as by the central deadbolt, which deploys automatically. This door lock guarantees optimum thermal and acoustic insulation in an automatic fully-interlocking door unit.



Deluxe motorised operation


- Motor support for operational comfort
- Autonomous and automatic engagement of locking element and central deadbolt
- Combines with MACO openDoor access control systems
- Can also be used with commercially available systems

MAYER & CO BESCHLÄGE GMBH

ALPENSTRASSE 173
A-5020 SALZBURG
TEL +43 (0)662 6196-0
FAX +43 (0)662 6196-1449
maco@maco.at
www.maco.at

MACO DOOR & WINDOW HARDWARE(U.K.) LTD

EUROLINK INDUSTRIAL
CENTRE CASTLE ROAD
SITTINGBOURNE KENT ME10 3LY
TEL +44 (0)1795 433900
FAX +44 (0)1795 433902
enquiry@macouk.net
www.macouk.net

 Scan for more Info



Order No. 756866_EN - Date created: February 2012
All rights reserved and subject to change.
Graphic sources: MACO and shutterstock.com